



# AALTO PREMIUM EXTERIOR GLOSS WHITE

Date of issue: 26 June 2023

NZ Safety Data Sheet

1. Identification of the Substance/Mixture and Supplier.		
Product name:	Aalto Premium Exterior Gloss White (305-100)	
Application:	Paint	
Company:	DECORA GROUP LTD 7 Akatea Road, Glendene, Auckland, New Zealand.	
Telephone:	09 818 9215	
Facsimile:	09 818 7862	
Emergency telephone:	0800 761 333	
2. Hazards Identification.		
<b>HSNO Status:</b> Classified as hazardous according to the criteria of HSNO. HSNO approval number HSR002670.		
<b>DG Status:</b> Not classified as Dangerous Goods according to NZS5433		
<b>Signal Word:</b> WARNING		
HAZARD CLASSIFICATIONS HSNO	HAZARD STATEMENTS	GHS Pictogram
Eye irritation Category 2 (6.4A)	H319 Causes serious eye irritation.	
Skin sensitisation Category 1	H317 May cause an allergic skin reaction.	
Effects on or via lactation (6.8C)	H362 May cause harm to breast-fed children.	N/A
Hazardous to the aquatic environment chronic Category 3	H412 Harmful to aquatic life with long lasting effects.	N/A
PREVENTION STATEMENTS		
P103	Read carefully and follow all instructions.	
P104	Read Safety Data Sheet before use.	
P201	Obtain special instructions before use.	
P260	Do not breathe mist/vapours/ spray.	
P263	Avoid contact during pregnancy and while nursing.	
P264	Wash hands thoroughly after handling.	
P270	Do not eat, drink or smoke when using this product.	
P272	Contaminated work clothing should not be allowed out of the workplace.	
P273	Avoid release to the environment.	
P280	Wear protective gloves/protective clothing/eye protection/face protection.	
RESPONSE STATEMENTS		
P302+P352	<b>IF ON SKIN:</b> Wash with plenty of soap and water.	
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.	
P363	Take off contaminated clothing and wash before re-use.	
P305+P351+P338	<b>IF IN EYES:</b> Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.	
P337+P313	If eye irritation persists: Get medical advice/ attention.	
P308+P313	IF exposed or concerned: Get medical advice/ attention.	
STORAGE STATEMENTS		
DISPOSAL STATEMENTS		
P501	Refer to Section 13.	

# AALTO PREMIUM EXTERIOR GLOSS WHITE

Date of issue: 26 June 2023


NZ Safety Data Sheet

<b>3. Composition/Information on Ingredients.</b>		
<u>Chemical Entity</u>	<u>CAS Number</u>	<u>Proportion %w/w</u>
Rheolate 244		<1
Polyphase 2167		<0.5
Balance of ingredients: Non-hazardous, or below the hazardous threshold.		
<b>4. First Aid Measures.</b>		
<b>Swallowed</b>	If swallowed do NOT induce vomiting. Give water to drink. Get medical attention if symptoms occur.	
<b>Inhaled</b>	If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped. Obtain medical attention if symptoms occur.	
<b>Eye Contact</b>	If splashed in the eyes, wash out immediately with water. Obtain medical attention if irritation occurs.	
<b>Skin Contact</b>	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Get medical attention if symptoms occur.	
<b>Further Information</b>	For advice contact the National Poisons Centre – 0800 POISON (0800 764 766) – or a doctor, immediately.	
<b>5. Fire-Fighting Measures.</b>		
<b>Suitable extinguishing media</b>	In case of fire, use water spray (fog), foam, dry chemical or CO <sub>2</sub> .	
<b>Unsuitable extinguishing media</b>	High volume water jet.	
<b>Hazards from the substance</b>	In a fire or if heated, a pressure increase will occur and the container may burst.	
<b>Hazardous combustion products</b>	Decomposition products may include: Carbon oxides, Nitrogen oxides, Other noxious substances.	
<b>Special precautions for fire-fighters</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.	
<b>Special protective equipment for fire fighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.	
<b>6. Accidental Release Measures.</b>		
<b>Personal precautions</b>	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.	
<b>Environmental precautions</b>	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).	
<b>Small spill</b>	Stop leak if without risk. Move containers from spill area. Absorb with an inert dry material and place in an appropriate waste disposal container. Eliminate all ignition sources. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.	
<b>Large spill</b>	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Eliminate all ignition sources. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as	

# AALTO PREMIUM EXTERIOR GLOSS WHITE

Date of issue: 26 June 2023

NZ Safety Data Sheet

	the spilt product.
<b>7. Handling and Storage.</b>	
<b>Handling</b>	Wear appropriate PPE, and ensure there is adequate ventilation and extraction in the work area. Avoid skin or eye contact, or breathing in the product. Follow precautions listed in section 2 for handling flammable/combustible liquids.
<b>Storage</b>	Keep container dry and tightly closed, in a cool, well-ventilated area, away from direct sunlight. Keep away from heat, sparks and open flame.
<b>8. Exposure Control/Personal Protection</b>	
<b>Exposure Standards</b>	
No exposure limits set for the finished product, listed components below.	
Engineering Controls	General ventilation and local exhaust should be suitable to keep vapour concentrations below WES/TWA. Ventilation equipment should be explosion-proof when operating in flammable zones.
Personal Protection	
Respiratory	Wear a vapour respirator, if poor ventilation
Eyes	Wear chemical goggles/face protection.
Hands	Wear chemical gloves – PVC, Polychloroprene or Nitrile.
Other	Wear overalls or dust coat. Use PVC apron when handling large quantities.
	
<b>9. Physical and Chemical Properties</b>	
PROPERTY	SPECIFICATION
Appearance (physical state, colour, etc.)	Liquid
Odour	Not available
Odour threshold	Not available
pH	8.5-9.5
Melting point/freezing point	Not available
Initial boiling point and boiling range	Not available
Flash point	Not available
Flammability (solid, gas)	Not available
Upper/lower flammability or explosive limits	Not available
Vapour pressure	Not available
Vapour density	Not available
Relative density	1.19-1.25kg/L
Solubility (ies)	Not available
Partition coefficient: n-octanol/water	Not available
Auto-ignition temperature	Not available
Decomposition temperature	Not available
Kinematic viscosity	95-100KU
<b>10. Stability and Reactivity</b>	

# AALTO PREMIUM EXTERIOR GLOSS WHITE

Date of issue: 26 June 2023

NZ Safety Data Sheet

<b>Stability</b>	The product is stable
<b>Possibility of hazardous reactions</b>	Under normal conditions of storage and use, hazardous reactions will not occur.
<b>Conditions to avoid</b>	None known.
<b>Incompatible materials</b>	None known.
<b>Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.
<b>11. Toxicological Information</b>	
Original data sourced from CCID and RM SDSs	
Classification:	Eye Irritant – Category 2
Health Effects:	Causes serious eye irritation.
Reference:	Derived by applying mixture rules.
Classification:	Skin sensitisation Category 1
Health Effects:	May cause an allergic skin reaction
Reference:	Derived by applying mixture rules.
Classification:	Effects on or via lactation Category 3
Health Effects:	May cause harm to breast-fed children.
Reference:	Derived by applying mixture rules.
Acute Oral Toxicity	Does not trigger HSNO classification
Acute Dermal Toxicity	Does not trigger HSNO classification
Acute Inhalation Toxicity	Does not trigger HSNO classification
Acute Aspiration Toxicity	Does not trigger HSNO classification
Skin Irritancy/Corrosion	Does not trigger HSNO classification
Respiratory Sensitisation	Does not trigger HSNO classification
Mutagenic	Does not trigger HSNO classification
Carcinogenic	Does not trigger HSNO classification
Reproductive/Development Toxicity	Does not trigger HSNO classification
STOT-SE	Does not trigger HSNO classification
STOT-RE	Does not trigger HSNO classification
Swallowed:	Not available
Inhaled:	Not available
Skin:	Not available
Eyes:	Not available
Chronic Effects:	Not available
Toxicity Data	
Product Acute Toxicity Estimate	
ORAL LD50	>2000 mg/kg
DERMAL LD50	>2000 mg/kg
INHALATION LC50 (vapours)	>20 mg/L/4H
INHALATION LC50 (dust/mist)	>5 mg/L/4H

## AALTO PREMIUM EXTERIOR GLOSS WHITE

Date of issue: 26 June 2023

NZ Safety Data Sheet

Product/Ingredient:	LD50 – Oral, mg/kg	LD50 – Dermal, mg/kg	LC50 – Inhalation, mg/L/4H
Ammonia 910 (25%)	>300		
Tergitol 15 S9	>412		
<b>12. Ecological Information</b>			
This product is classified as Ecotoxic according to the criteria of HSNO.			
Ecotoxic Ingredients:			
Ingredient	Classification		
Ammonia 910 (25%)	Hazardous to the aquatic environment Acute Category 1		
Troysan V662	Hazardous to the aquatic environment Chronic Category 1		
Nuosperse FA 115	Hazardous to the aquatic environment chronic Category 3		
Polyphase 2167	Hazardous to the aquatic environment Acute Category 1		
Zinc Oxide	Hazardous to the aquatic environment Acute Category 1 Hazardous to the aquatic environment chronic Category 1		
Texanol	Hazardous to the aquatic environment chronic Category 3		
Product/Ingredient	Species, L(E)C50		
FISH			
Terbutryn	Lepomis macrochirus, 1.3mg/L, 96hrs		
Ammonia 910	Rainbow trout, LC50: 0.53mg/L		
Texanol	Fathead minnow, LC50: 33mg/L/96h		
CRUSTACEAN			
Terbutryn	Daphnia magna, NOEC 1.3mg/L, 21 days		
Ammonia 910	Daphnia magna, LC50: 0.66mg/L		
Zinc oxide	Daphnia magna, LC50: 0.098mg/L		
Texanol	Water flea, EC50: 147.8mg/L/48h		
ALGAL			
Terbutryn	Selenastrum capricornutum, 0.013mg/L, 168hrs		
Zinc oxide	Algae, EC50: 0.03mg/L		
Texanol	Pseudokirchneriella subcapitata, ErC50: 15mg/L/72h		
Product/Ingredient:			
Persistence & Degradability	Not available		
Mobility	Not available		
Bioaccumulative Potential	Not available		
Other	Not available		
Product Calculated Aquatic Ecotoxicity – L(E)C50 mg/L:			
Hazardous to the aquatic environment chronic Category 3: >10 - ≤100			
Ecotoxicity Data – CCID – Not available			
Persistence & Degradability - Not available			
Mobility - Not available			
Bioaccumulation Potential - Not available			

# AALTO PREMIUM EXTERIOR GLOSS WHITE

Date of issue: 26 June 2023

NZ Safety Data Sheet

Other - Not available	
<b>13. Disposal Considerations.</b>	
Do not let this product enter the environment. Do not dispose of in waterways or sewers. Dispose of this material and its container as hazardous waste, via a licensed facility. See local council for disposal/recycling information.	
<b>14. Transportation Information.</b>	
Not regulated for transport. Keep separated from foodstuffs.	
<b>15. Regulatory Information.</b>	
Group Standard:	Surface Coatings and Colourants (Subsidiary Hazard) Group Standard 2020.
HSNO Approval Number:	HSR002670
HSNO CONTROLS	
SDS required when any quantity is present in a workplace.	
Emergency Response Plan and Secondary Containment required when >1000L is present in a workplace	
Ecotoxic signage required when >1000L is stored.	
Certified Handler	Not Required
Tracking	Not Required
All ingredients are on the New Zealand Inventory of Chemicals (NZIoC), or exempt.	
Any existing national regulations on the handling of dangerous substances should be observed. Controls for hazardous substances are based upon current knowledge. Where multiple chemicals are stored, controls will need to take into account aggregate quantities. Contact a WorkSafe approved Compliance Certifier for further information and guidance.	
This material is not subject to the following agreements:	
<ul style="list-style-type: none"><li>• Montreal Protocol (Ozone Depleting Substances)</li><li>• The Stockholm Convention (Persistent Organic Pollutants)</li><li>• The Rotterdam Convention (Prior Informed Consent)</li></ul>	
<b>16. Other Information.</b>	
HSNO = Hazardous Substances and New Organisms Act 1996. EPA = Environmental Protection Authority CCID = Chemical Classification and Information Database (EPA) NZ WES = New Zealand Work Exposure Standard TWA = Time Weighted Average STEL = Short Term Exposure Limit	
Date of SDS Preparation: 26 June 2023. Replaces version dated: March 2019.	

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.