

AALTO TRADE EXTERIOR SEMIGLOSS WHITE

Date of issue: 26 June 2023

NZ Safety Data Sheet

1. Identification of the Substance/Mixture and Supplier.


Product name:	Aalto Trade Exterior Semigloss White (301-100, AT301-100)
Application:	Paint
Company:	DECORA GROUP LTD 7 Akatea Road, Glendene, Auckland, New Zealand.
Telephone:	09 818 9215
Facsimile:	09 818 7862
Emergency telephone:	0800 761 333

2. Hazards Identification.

HSNO Status: Classified as hazardous according to the criteria of HSNO. HSNO approval number HSR002670.

DG Status: Not classified as Dangerous Goods according to NZS5433

Signal Word: WARNING

HAZARD CLASSIFICATIONS HSNO	HAZARD STATEMENTS	GHS Pictogram
Skin sensitisation Category 1	H317 May cause an allergic skin reaction.	
Effects on or via lactation (6.8C)	H362 May cause harm to breast-fed children.	N/A
Hazardous to the aquatic environment chronic Category 3	H412 Harmful to aquatic life with long lasting effects.	N/A

PREVENTION STATEMENTS

P103	Read carefully and follow all instructions.
P104	Read Safety Data Sheet before use.
P260	Do not breathe mist/vapours/ spray.
P263	Avoid contact during pregnancy and while nursing.
P264	Wash hands thoroughly after handling.
P270	Do not eat, drink or smoke when using this product.
P272	Contaminated work clothing should not be allowed out of the workplace.
P273	Avoid release to the environment.
P280	Wear protective gloves/protective clothing/eye protection/face protection.

RESPONSE STATEMENTS

P302+P352	IF ON SKIN: Wash with plenty of soap and water.
P333+P313	If skin irritation or rash occurs: Get medical advice/attention.
P363	Take off contaminated clothing and wash before re-use.
P308+P313	IF exposed or concerned: Get medical advice/ attention.

STORAGE STATEMENTS

DISPOSAL STATEMENTS

P501 Refer to Section 13.

3. Composition/Information on Ingredients.

Chemical Entity	CAS Number	Proportion %w/w
Polyphase 2167		≤0.5
Rheolate 244		≤0.5

AALTO TRADE EXTERIOR SEMIGLOSS WHITE

Date of issue: 26 June 2023


NZ Safety Data Sheet

Balance of ingredients: Non-hazardous, or below the hazardous threshold.	
4. First Aid Measures.	
Swallowed	If swallowed do NOT induce vomiting. Give water to drink. Get medical attention if symptoms occur.
Inhaled	If inhaled, move the victim to fresh air immediately. Begin artificial respiration if breathing has stopped. Obtain medical attention if symptoms occur.
Eye Contact	If splashed in the eyes, wash out immediately with water. Obtain medical attention if irritation occurs.
Skin Contact	If skin or hair contact occurs, remove contaminated clothing and flush skin and hair with running water. Get medical attention if symptoms occur.
Further Information	For advice contact the National Poisons Centre – 0800 POISON (0800 764 766) – or a doctor, immediately.
5. Fire-Fighting Measures.	
Suitable extinguishing media	In case of fire, use water spray (fog), foam, dry chemical or CO ₂ .
Unsuitable extinguishing media	High volume water jet.
Hazards from the substance	In a fire or if heated, a pressure increase will occur and the container may burst.
Hazardous combustion products	Decomposition products may include: Carbon oxides, Nitrogen oxides, Other noxious substances.
Special precautions for fire-fighters	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
Special protective equipment for fire fighters	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.
6. Accidental Release Measures.	
Personal precautions	Wear appropriate Personal Protective Equipment (see section 8). Provide adequate ventilation.
Environmental precautions	Avoid dispersal of spilt material and runoff and contact with soil, waterways, drains and sewers. Inform the relevant authorities if the product has caused environmental pollution (sewers, waterways, soil or air).
Small spill	Stop leak if without risk. Move containers from spill area. Absorb with an inert dry material and place in an appropriate waste disposal container. Eliminate all ignition sources. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor.
Large spill	Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see section 13). Eliminate all ignition sources. Use spark-proof tools and explosion-proof equipment. Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilt product.
7. Handling and Storage.	
Handling	Wear appropriate PPE, and ensure there is adequate ventilation and extraction in the work area. Avoid skin or eye contact, or breathing in the product. Follow

AALTO TRADE EXTERIOR SEMIGLOSS WHITE

Date of issue: 26 June 2023

NZ Safety Data Sheet

	precautions listed in section 2 for handling flammable/combustible liquids.		
Storage	Keep container dry and tightly closed, in a cool, well-ventilated area, away from direct sunlight. Keep away from heat, sparks and open flame.		
8. Exposure Control/Personal Protection			
Exposure Standards			
No exposure limits set for the finished product, listed components below.			
Product/Ingredient	WES/TWA	WES/STEL	Reference
Engineering Controls	General ventilation and local exhaust should be suitable to keep vapour concentrations below WES/TWA. Ventilation equipment should be explosion-proof when operating in flammable zones.		
Personal Protection			
Respiratory	Wear a vapour respirator, if poor ventilation.		
Eyes	Wear chemical goggles/face protection.		
Hands	Wear chemical gloves – PVC, Polychloroprene or Nitrile.		
Other	Wear overalls or dust coat. Use PVC apron when handling large quantities.		
			
9. Physical and Chemical Properties			
PROPERTY	SPECIFICATION		
Appearance (physical state, colour, etc.)	Liquid		
Odour	Not available		
Odour threshold	Not available		
pH	9.0-10.0		
Melting point/freezing point	Not available		
Initial boiling point and boiling range	Not available		
Flash point	Not available		
Flammability (solid, gas)	Not available		
Upper/lower flammability or explosive limits	Not available		
Vapour pressure	Not available		
Vapour density	Not available		
Relative density	1.25-1.28		
Solubility (ies)	Not available		
Partition coefficient: n-octanol/water	Not available		
Auto-ignition temperature	Not available		
Decomposition temperature	Not available		
Kinematic viscosity	95-100KU		
10. Stability and Reactivity			
Stability	The product is stable		
Possibility of hazardous reactions	Under normal conditions of storage and use, hazardous reactions will not occur.		

AALTO TRADE EXTERIOR SEMIGLOSS WHITE

Date of issue: 26 June 2023

NZ Safety Data Sheet

Conditions to avoid	None known.		
Incompatible materials	None known.		
Hazardous decomposition products	Under normal conditions of storage and use, hazardous decomposition products should not be produced.		
11. Toxicological Information			
Original data sourced from CCID and RM SDSs.			
Classification:	Skin sensitisation Category 1		
Health Effects:	May cause an allergic skin reaction		
Reference:	Derived by applying mixture rules.		
Classification:	Effects on or via lactation Category 3		
Health Effects:	May cause harm to breast-fed children.		
Reference:	Derived by applying mixture rules.		
Acute Oral Toxicity	Does not trigger HSNO classification		
Acute Dermal Toxicity	Does not trigger HSNO classification		
Acute Inhalation Toxicity	Does not trigger HSNO classification		
Acute Aspiration Toxicity	Does not trigger HSNO classification		
Skin Irritancy/Corrosion	Does not trigger HSNO classification		
Eye Irritancy/Corrosion	Does not trigger HSNO classification		
Respiratory Sensitisation	Does not trigger HSNO classification		
Mutagenic	Does not trigger HSNO classification		
Carcinogenic	Does not trigger HSNO classification		
Reproductive toxicant	Does not trigger HSNO classification		
STOT-SE	Does not trigger HSNO classification		
STOT-RE	Does not trigger HSNO classification		
Swallowed:	Not available		
Inhaled:	Not available		
Skin:	Not available		
Eyes:	Not available		
Chronic Effects:	Not available		
Toxicity Data			
Product Acute Toxicity Estimate			
ORAL LD50 >2000 mg/kg			
DERMAL LD50 >2000 mg/kg			
INHALATION LC50 (vapours) >20 mg/L/4H			
INHALATION LC50 (dust/mist) >5 mg/L/4H			
Product/Ingredient:	LD50 – Oral, mg/kg	LD50 – Dermal, mg/kg	LC50 – Inhalation, mg/L/4H
Ammonia 910 (25%)	>300		
Tergitol 15 S9	>412		
Troysan V662	1349		>2.02

AALTO TRADE EXTERIOR SEMIGLOSS WHITE

Date of issue: 26 June 2023

NZ Safety Data Sheet

12. Ecological Information	
This product is classified as Ecotoxic according to the criteria of HSNO.	
Ecotoxic Ingredients:	
Ingredient	Classification
Troysan V662	Hazardous to the aquatic environment Chronic Category 1
Ammonia 910 25%	Hazardous to the aquatic environment Acute Category 1
Polyphase 2167	Hazardous to the aquatic environment Acute Category 1
Tergitol 15-S-9	Hazardous to the aquatic environment Chronic Category 4
Acrysol RM 20-20NPR	Hazardous to the aquatic environment Chronic Category 3
Acrysol RM-8W	Hazardous to the aquatic environment Chronic Category 3
Texanol	Hazardous to the aquatic environment Chronic Category 3
Product/Ingredient	Species, L(E)C50
FISH	
Terbutryn	Lepomis macrochiris, 1.3mg/L, 96hrs
Ammonia 910	Rainbow trout, LC50: 0.53mg/L
Texanol	Fathead minnow, LC50: 33mg/L/96h
CRUSTACEAN	
Terbutryn	Daphnia magna, NOEC 1.3mg/L, 21 days
Ammonia 910	Daphnia magna, LC50: 0.66mg/L
Texanol	Water flea, EC50: 147.8mg/L/48h
ALGAL	
Terbutryn	Selenastrum capricornutum, 0.013mg/L, 168hrs
Texanol	Pseudokirchneriella subcapitata, ErC50: 15mg/L/72h
Product Calculated Aquatic Ecotoxicity – L(E)C50 mg/L:	
Hazardous to the aquatic environment chronic Category 3: >10 - ≤100	
Ecotoxicity Data – CCID – Not available	
Persistence & Degradability - Not available	
Mobility - Not available	
Bioaccumulation Potential - Not available	
Other - Not available	
13. Disposal Considerations.	
Do not let this product enter the environment. Do not dispose of in waterways or sewers. Dispose of this material and its container as hazardous waste, via a licensed facility. See local council for disposal/recycling information.	
14. Transportation Information.	
Not regulated for transport. Keep separated from foodstuffs.	
15. Regulatory Information.	
Group Standard:	Surface Coatings and Colourants (Subsidiary Hazard) Group

AALTO TRADE EXTERIOR SEMIGLOSS WHITE

Date of issue: 26 June 2023

NZ Safety Data Sheet

HSNO Approval Number:	Standard 2020. HSR002670
HSNO CONTROLS	
SDS required when any quantity is present in a workplace.	
Emergency Response Plan and Secondary Containment required when >1000L is present in a workplace	
Ecotoxic signage required when >1000L is stored.	
Certified Handler	Not Required
Tracking	Not Required
All ingredients are on the New Zealand Inventory of Chemicals (NZIoC), or exempt.	
Any existing national regulations on the handling of dangerous substances should be observed. Controls for hazardous substances are based upon current knowledge. Where multiple chemicals are stored, controls will need to take into account aggregate quantities. Contact a WorkSafe approved Compliance Certifier for further information and guidance.	
This material is not subject to the following agreements: <ul style="list-style-type: none">• Montreal Protocol (Ozone Depleting Substances)• The Stockholm Convention (Persistent Organic Pollutants)• The Rotterdam Convention (Prior Informed Consent)	
16. Other Information.	
HSNO = Hazardous Substances and New Organisms Act 1996. EPA = Environmental Protection Authority CCID = Chemical Classification and Information Database (EPA) NZ WES = New Zealand Work Exposure Standard TWA = Time Weighted Average STEL = Short Term Exposure Limit	
Date of SDS Preparation: 26 June 2023.	

The data given here is based on current knowledge and experience. The purpose of this Safety Data Sheet is to describe products in terms of their safety requirements. The above details do not imply any guarantee concerning composition, properties or performance of the product.